SOW-01-847-3-8G026B-1/1

Date: 23 January 2000

STATEMENT OF WORK (SOW)

For the Rebuild of the

Tape Drive Cartridge, 20 MB for the AN/MSC-63A

NSN 7025-01-381-9488

P/N: 118-002971; CAGE: 34984

ROY G. SUMNER

Switch Systems Section Equipment Specialist

(Code 847-3)

MCLB, Albany GA

DONNA LÉVRON

Inventory Manager Switch Systems Section

(Code 847-3)

MCLB, Albany GA

Weapon System/Equipment Manager Switch Systems Section (Code 847-3)

MCLB, Albany GA

STATEMENT OF WORK FOR THE TAPE DRIVE CARTRIDGE, 20MB For the AN/MSC-63A NSN: 7025-01-381-9488

- 1.0 <u>SCOPE</u>. This document contains requirements to restore the Tape Drive Cartridge, 20MB for the AN/MSC-63A, NSN 7025-01-381-9488, Part Number 118-007971, CAGE 34984 to Condition Code "A". Condition Code "A" is defined as "serviceable/issueable without qualification, new, used, repaired or reconditioned material that is serviceable and issueable to all customers without limitation or restriction, including material with more than 6 months shelf-life remaining".
- 1.1 This Statement of Work (SOW) identifies the work effort including repair, testing, and packaging/marking requirements that shall be performed by the Contractor to rebuild the Tape Drive Cartridge, 20 MB, NSN 7025-01-381-9488, Part Number 118-007971, CAGE 34984.
- 2.0 <u>Applicable Documents</u>. The following documents form a part of this SOW to the extent specified. Unless otherwise specified, the issues of these documents are those listed in the Department of Defense Index of Specifications and Standards (DoDISS) and supplement thereto which is in effect on the date of solicitation. In the event of conflict between the documents referenced herein and the contents of this SOW, the contents of this SOW shall be the superseding requirement.

2.1 Military Standards

MIL-STD-129 DoD Standard Practice for Military Marking

MIL-STD-2073-1C DoD Standard Practice for Military Packaging

Military Standards (Guidance Only)

MIL-STD-973 Configuration Management

2.2 Military Specifications

MIL-C-81309 Corrosion Preventive Compounds, Water

Displacing, Ultra Thin Film

DoD 4000.25-1-M MILSTRIP Manual

NAVICPINST 4491.2A NAVICP Instruction Requisitioning of Contractor

Furnished material from the Federal Supply System

2.3 Other Government Documents and Publications

TM-07737B-24&P/3 System Organizational and Intermediate

Maintenance Manual with Parts List for the Communications Central AN/MSC-63A

2.4 Industry Standards

ANSI/EIA-625 Requirements for Handling Electrostatic-Discharge

Sensitive ESDS Devices

ANSI/ISO/ASQC Q9003-1994 Quality Systems – Model for Quality Assurance in

Final Inspection and Test

Copies of Military Specifications and Standards are available from the DoD Single Stock Point, Defense Automation Production Service Philadelphia, Building 4D, 700 Robbins Avenue, Philadelphia, PA 19111-5094, commercial telephone number (215) 697-2179 or DSN 442-2179 or on the internet at http://www.dodssp.daps.mil. Copies of other government documents and publications required by contractors in connection with specific SOW requirements shall be obtained through the Contracting Officer: Commander, Attn: Contracting Officer (Code 891), Marine Corps Logistics Bases, 814 Radford Blvd., Albany, Georgia 31704-1128, commercial telephone number (912) 439-6761 or DSN 567-6761. Copies of engineering drawings, if applicable, shall be obtained from Life Cycle Management Center, Attn: Code 825-3, 814 Radford Blvd. Suite 20320, Albany, Georgia 31704-0320, commercial telephone number (912) 439-6410 or DSN 567-6410.

3.0 Requirements

- 3.1 <u>General Tasks</u>. In fulfilling the specified requirements, the Contractor shall provide materials, labor, equipment, facilities and missing/repair parts, necessary to inspect, diagnose, restore, and test and calibrate the TDC. Upon completion of the repair, the TDC shall be in Condition Code "A".
- 3.2 Detail Tasks. The following tasks describe the different phases for repair of the GC:

Phase I Pre-Induction

Phase II Repair

Phase III Inspection, Testing and Acceptance

Phase IV Packaging, Handling, Storage and Transportation (PHS&T)

3.2.1 <u>Phase I (Pre-Induction)</u>. A pre-induction inspection analysis shall be performed for each TDC within 5 working days of induction into the Contractor's facility. If repair is not feasible, assign Condition Code "H" (CC "H"), notify Marine Corps Logistics Base (Code 847-3), Albany, Georgia for disposition instructions, otherwise assign CC "M" and induct into the repair cycle. The Pre-induction Checklist which consists of Report DA-2404 (Appendix A) and

Standard Form 364 (Appendix B), shall be used to report all anomalies and shall be provided to the government in accordance with section 4.0 of this SOW.

3.2.2 <u>Phase II (Repair)</u>. After pre-induction tests and inspections have been completed, repair of the TDC shall be accomplished in accordance with this SOW. Deficiencies noted on the Pre-Induction Checklist during Phase I shall be repaired/replaced. Components or assemblies shall not be disassembled for replacement of parts unless that part has failed, or the component assembly wherein the part is located is disassembled for repair. Incorporate all current Engineering Change Proposals (ECPs) and Modification Instructions (MIs).

a. Hardware

- (1) Replace broken, unserviceable and/or missing hardware including nuts, bolts, screws, washers, turnlock fasteners, mandatory replacement items, safety, and one-time use items. Unserviceable would include any of the above that failed to function properly.
- (2) Ensure proper hardware locking devices are present on all moving mechanical assemblies.
- (3) Hardware normally supplied with commercial parts shall be used unless specifically prohibited.
- b. <u>Publications and Documentation</u>. The Contractor shall use appropriate technical documentation to restore the TDC to Condition Code "A".
 - c. The following Standards and Publications shall be used to assist the Contractor:

MIL-C-81309 Corrosion Preventive Compounds, Water Displacing, Ultra Thin Film

TM-07737B-24&P/3 System Organizational and Intermediate Maintenance Manual with Parts List for the Communications Central AN/MSC-63A

3.2.3 Phase III (Inspection. Testing and Acceptance)

- a. Inspection, Testing and Acceptance of the TDC shall be conducted in accordance with MIL-C-81309, TM-07737B-24&P/3 and documentation retained by the manufacturer.
- b. The Contractor shall be responsible for conducting required tests in accordance with applicable procedures and specifications.
- c. The Contractor shall be responsible for correcting any deficiencies identified during inspection/testing. MCLB (Code 847-3), Albany, GA representatives may require the Contractor to repeat tests or portions thereof, if the original tests fail to demonstrate compliance with this SOW.

3.2.4 Phase IV (Packaging, Handling, Storage and Transportation (PHS&T))

- a. The Contractor shall be responsible for preservation and packaging of items being repaired under the terms of this statement of work. Items being prepared for long term storage or shipment to overseas destinations shall be preserved and packaged in accordance with level "A" requirements of MIL-STD-2073-1C, Appendix A, Table A.VI, Electronic Equipment. Items being prepared for domestic shipment and immediate use shall be to level "B" requirements.
 - b. Marking of all items shall be in accordance with MIL-STD-129.
- c. The Marine Corps will provide the Contractor with the shipping address(es) for delivery of the repaired equipment. The Contractor shall be responsible for arranging for shipment to the pre-designated site(s). The Marine Corps will be responsible for transportation costs associated with shipping the subject equipment to and from the Contractor.
- 3.3 Government Furnished Equipment (GFE)/Government Furnished Materiel (GFM). GFE is government owned equipment authorized by contract for use by a commercial/government contractor. It is neither consumed during the production nor incorporated into any product. GFM is materiel furnished to a contractor that will be consumed during the course of production or incorporated into product being manufactured/remanufactured under a contract/statement of work. In the event the Marine Corps does have GFE/GFM requirements, the Management Control Activity (MCA/Code 827-2), Marine Corps Logistics Bases, Albany, Georgia, will coordinate required GFE and will maintain a central control on Marine Corps assets in the Contractor's possession. The MCA will forward a GFE Accountability agreement to the Contractor Facility for signature to establish a chain of custody and property responsibilities for Marine Corps assets. The Contractor shall report receipt of all GFM and report consumption of GFM to the MCA.
- 3.4 <u>Configuration Control</u>. The Contractor shall apply configuration control procedures to established configuration items. The Contractor shall not implement configuration changes to an item's documented performance or design characteristics without prior written authorization from the Weapon System/Equipment Manager (Code 847-3). If it is necessary to temporarily depart from the authorized configuration, the contractor shall prepare and submit a Request for Deviation/Request for Waiver. MIL-STD-973 (paragraph 5.4.3 or 5.4.4 and Appendix E) may be used as a guide.
- 3.5 <u>Contractor Furnished Materiel</u>. The Marine Corps has adopted the Navy's procedures regarding Contractor Furnished Materiel (NAVICPINST 4491.2A). In the event Contractor Furnished Materiel is required for repair parts, the contractor shall requisition through the DoD Supply System. DoD 4000.25-1-M, (MILSTRIP) Chapter 11 authorizes contractors to requisition through the DoD Supply System.
- 3.6 <u>Electrostatic Discharge (ESD) Control Program</u>. The Contractor shall establish, implement and document an ESD control program following the guidelines provided in ANSI/EIA-625. ESD protective measures shall be used during manufacturing, handling, inspection, test, marking, packaging, storing and transporting ESD sensitive components.

- 3.7 Quality Assurance Provisions. The Contractor shall provide and maintain a quality system that as a minimum, adheres to the requirements of ANSI/ISO/ASQC Q9003-1994, Quality System Model for Quality Assurance in Final Inspection and Test. The program shall ensure quality throughout all areas to include fabrication, processing, assembly, inspection, test, maintenance, and preparation for delivery and shipping. Unless otherwise specified in the contract, the contractor shall be responsible for performance of all inspection requirements. The Government reserves the right to perform any of the inspections set forth in the contract where such inspections are deemed necessary to assure products and services conform to the prescribed requirements.
- 3.8 <u>Acceptance</u>. The performance of the Contractor and the quality of work delivered, including all equipment furnished and documentation written or compiled, shall be subject to inprocess review and inspection during performance. Inspection may be accomplished in-plant or at any work site or location, and Marine Corps representatives shall be permitted to observe the work or to conduct an inspection.
- 3.9 <u>Rejection</u>. Failure to comply with any of the specified requirements listed herein shall be reason for rejection by MCLB Code 847-3, Albany, representative. The Contractor shall, at no additional cost to MCLB, Albany, Georgia, correct the deficiencies and repeat the verification until an acceptable compliance with acceptance test procedures is demonstrated.

4.0 Reports

- 4.1 <u>Pre-Induction Checklist</u>. The Contractor shall complete the Pre-Induction Inspection Checklist (Appendix A and Appendix B) for each TDC repaired. These documents shall be available prior to final acceptance testing. One copy of each document shall be provided to MCLB (Code 847-3) Albany, Georgia, after final acceptance of the TDC.
- 4.2 <u>Repairable Item Inspection Report</u>. The Contractor shall provide a Repairable Item Inspection Report for each TDC. The report shall be identified by United States Marine Corps Serial Number.
- 4.3 <u>Monthly Progress Reports</u>. The Contractor shall provide Monthly Progress Reports summarizing the progress and status of the TDC Program.

INSTRUCTIONS
DEPARTMENT OF DEFENSE: DLAR 4140.55/AR 735.11.2/NAVSUPINST 4440.127E/AFR 400.54/MCO 4430.3E, Reporting of Item and Packaging Discrepancies, and/or DLAR 4140.60/AR 12-12/NAVSUPINST 4920.9B/AFR 67.7/MCO 4140.1B, processing Discrepancy Reports Against Foreign Military Sales Shipments. CIVILIAN AGENCIES: See FPMR handbook cited in 19 (2) (a).
REPORT OF DISCREPANCY (ROD) I. DATE OF PREPARATION 2. REPORT NUMBER

					1	•				
SHIPPINGPACKAGING										
3. TO: (Name and Address, Include ZIP Code)	4. FRO	4. FROM: (Name and Address, Include ZIP Code)								
	}									
		I								
5a SHIPPERS NAME		5b. Ni	MBER AND DAT	E OF INVOICE	Sc. TRANSPO	RTATION DOCL	MENT NUME	BER		
						ybill, TCN, etc.)				
7a SHIPPER'S NUMBER (Purchase Order/Shipman)	7b. OFFICE ADMINISTERING C	do TRACT			B B B B B B B B B B B B B B B B B B B					
Contract, atc)	70. OFFICE ADMINISTERANO C	ONTRACT		*	etc.)	R'S NUMBER (A	equisinon, Pui	renuse Request.		
					eac.y					
	LING, AND RECEIPT DATA			10.	DI\$CREPA	NCY DATA		Til.		
NSN/PART NUMBER AND	UNIT	QUANTITY	QUANTITY	QUAN-	UNIT	TOTAL	1	ACTION		
NOMENCLATURE	\ OF	SHIPPEID	RECEIVED	TITY	PRICE	COST	CODE	CODE		
(a)	ISSUE	BILLED	/ .	1 1	<i>a</i> >	4.5	ĺ	1		
	(b)	(c)	(d)	(a)	(b)	(c)	<u>(d)</u>	ļ.		
				1 4			Ì	i		
]									
				! !			i			
							1	!		
		ı								
							l	į		
				1			ŀ			
	,						ļ			
	ł			1				1		
12. REMARKS (continue on separate sheet of paper if necessa	עיץ)									
	1. DISCREPANCY CODES									
CONDITION OF MATERIAL	PRODUCT	JUALITY DEFICIENCE	769			2 ACTION	CODES			
C1 - In condition other than that indicated on	O1 - Defici	ent material (Applicab	essa Le so Cennt Aid and L	FMN chimmental	1A . Diamo	ition instructions (equated (Pani			
release/receipt document	SHORTAGE	OF MATERIAL	- 10 O/ DAN /212 DING 1	inso singraphis)		al being retained (y (m 1 + 1 + 1 + 1 + 1 + 1 + 1 + 1 + 1 + 1		
C2 - Expired shelf life	S1 - Quanti	ty less than that on rec	eipt document			ting supply docum		sted		
C) - Damaged percel post shipment	52 - Quanti	ity less than that reques	tod (Other than unit	of issue pack)	D - Materi	al still required, ex	pedite shipmer	at (Nor		
SUPPLY DOCUMENTATION	S3 - Non-re	ids frog Isoraed to rejuce	pmenu			uhla to FMS)	• • • • • • • • • • • • • • • • • • • •			
DI - Not received	ITEM TECH	INICAL DATA MARI	ATA MARKINGS (i.e., Name Plates, Log IE - Local purchase material to be returned at supplier'							
D2 - Illegible or mutilated		rating Handhooks, Spe	cial Instructions, etc.)	expens	e unless dispositio	n instructions 1	o the contrary		
D3 - Incomplete, Improper or without authority (Only when receipt cannot be properly processed)	TI - Missin					nived within 15 de	rs (Raply ourc	versel (Not		
MISDIRECTED MATERIAL	1.5 - 7]joB(p)	te or Mutilated				ble to FMS)		0.41		
MI - Addressed to wrong activity	TA Torons	giotary operational magical ma	nuculas wretsus			anent shipment ro	dneated (Not at	oplicable to		
OVERAGE/DUPLICATE SHIPMENTS			niming or incomplete FMS) wrating data massing or incomplete IG - Reshipment not required. Item to be re-re-							
01 - Quantity in excess of that on receipt document		atomy operating usin	massing or incomple	uc				requisitioned		
O2 - Quantity in excess of that requested (Other than soils of it		EM (Thentify requested	item as a sename o	one in Item 0		ion required. Infor iction requested (S				
O3 - Quantity duplicate shipment	above		w separate t	~p5 H1 41977 F.	/2 - Other I	-non reducated (9	e remarks)			
PACKING DISCREPANCY		rect item received			1					
P1 - Improper preservation	W2 - Unacc	ceptable substitute			Ţ					
P2 - Improper packing	OTHER DIS	CREPANCIES			ļ					
P3 - Improper Marking	Zi - See R	l <i>e</i> marks			[
P4 - Improper unitization 13. FUNDING AND ACCOUNTING DATA										
D. FUNDING AND ACCOUNTING DATA										
148. TYPED OR PRINTED NAME, TITLE, AND PHONE NO	imber of preparing oppicia	L I	14b. SIGNATURE							
		1								
15 DISTRIBUTION ADDRESSEES FOR COPIES						·				

7540-00-159-4442

(Previous edition is obsolete)

STANDARD FORM 364 (Rev. 2-80) (EG) Prescribed by GSA FPMR 101,20.0

16. FROM:		17. DISTRIBUTION AD	DRESSEES FOR DISTRIBUTI	ON
18. TO:		L		
•		•	this do addre startin, the left d NOT c Address	vindow envelope to mail cument. Insert Name and sss, including ZIP Code, g one typing space below lot. Each address line must extend beyond right dot. must not exceed four single space typing lines.
		DISCREPANCY ON	FACE OF THIS FORM	ſ;
MATERIAL WILL BEEN BE SHIPPED DOCUMENT NUMBER		b. NO RECORD APPROPRIA	OF SHIPMENT. RESUBMIT TE REGULATION.	REPORT TO PROPER OFFICE UNDER
C. AN ADJUSTMENT IN BILLING HAS CREDIT BEEN/WILL BE PROCESSED AS A	DEBIT	d. INVOICE/BIT		OOF OF DELIVERY (Parcel Post Shipments) OR IDENCE
AN ADJUSTMENT IN BILLING FOR THIS REPORTED DISCRE	PANCY WILL NOT BE PROC	ESSED FOR THE FOLLO	WING REASON WHICH IS C	TED IN THE INDICATED REGULATION
(1) REASON FOR NOT PROCESSING		(2)	PRESCRIBING REQU	LATION
(a) DISCREPANCY WAS NOT REPORTED WITHIN THE TIME FRA	MES ALLOWED AND/OR		OF THE USA HANDBOOK, D ENTS, MATERIALS, OR BILL	ISCREPANCIES OR DEFICIENCIES IN GSA OR INGS (FPMR 101.26.8)
(b) DOLLAR VALUE DOES NOT MEET THE CRITERIA PRESCRIBI OR AGREEMENT INDICATED IN 191(2)	ED IN THE REGULATION			M, MILITARY STANDARD BILLING SYSTEM OFFER AND ACCEPTANCE, AS APPLICABLE
20. THE FOLL	OWING DISPOSITION IS TO	BE MADE OF THE REP	RENCED MATERIAL	
PROCESS FOR DISPOSAL IN ACCORDANCE WITH SERVICE/AGENCY DIRECTIVES	b. REPRESENTATIVE DISPOSITION	WILL CALL FOR DISCUS	SSION CONCERNING	DAYS
C RETAIN MATERIAL AT NO CHARGE	d MATERIAL WILL B	E PICKED UP IN		DAYS
e. SHIP MATERIAL Specify location)			······································	
(I) GBL APPROPRIATION CHARGEABLE:				
(2) CHARGES COLLECT - VIA. FREIGHT	EXPRESS	PARCEL POS	T .	(\$ postage advance herewith
(3) PARCEL POST LABEL ATTACHED	(4) FREIGHT PREP	AID		NOTE: Please enclose posinge. Minerial cannot be returned Parce Post collect.
COTHER (Specify)				
21 IF MATERIAL IS STILL REQUIRED, SUBMIT NEW REQUISITION.	22 REPLACEMENT WI WILL BE MADE ON	TH SATISFACTORY MA	TERIAL	DATE
23 REMARKS (Continue on separate sheet of paper if necessary).	1			<u> </u>
24s. TYPED OR PRINTED NAME AND PHONE NUMBER OF	24b. SIGNATURE			24c DATE
PREPARING OFFICIAL				
	<u> </u>			STANDARD FORM 364 BACK (REV 2-80)

		For use	of this form, se	e DA PAM 73	8-750 and	738-75	1; the propor	nent agency is DC	SLOG	
1. ORGANIZA	ATION					A NUMEN	CLATURE and I	MUDEL		
2. REGISTRA	TION/SERIAL	NSN	4a. MILES	4b. HOURS	4c. ROUN FIRED	•	4d. HOT STARTS	5. DATE	6. TYPE	INSPECTION
7. TM NUMBE	R		177	APPLICAB M DATE	LE REFERI	TM NUM	BER		TM DA	TE
		TM number,	lition status Sym	nbol.			liste	w corrective action		or shortcoming
COLUM	IN c - Enter	deficiencies an	d shortcomings.				in tl	viduai ascertamin is column.	ig completed co	Treetive action times
noperative CIRCLE pperated ut	e status. D "X" – Ind nder specific	icated a deficie c limitations as	quipment that plancy, however, the directed by high action can be ac	aces it in an e equipment m er authority or	ay be	DIAG which complet LAST	ONAL "(/)" must be corely sely sely sely sely in the interval	rected to increase erviceable.	efficiency or to	than a deficiency make the item
component	t replacement s not been a hed.	nt, maintenance ecomplished, or INSPECTIONS	ates that a requir operation check r an overdue MV AND EQUIPM	, or test flight i	n IONS RI	CORD	D ON THIS	Status symbols v FORM HAVE B DS IN THE TM C	EEN DETERM	INED
8a SIGNAT		performing inspection		8b. TIME			lainsenanco Supe	10 MANHOURS REQUIRED		
TM ITEM NO.	STATUS	DEF	ICIENCIES AND SH	ORTCOMINGS	·		CC	INITIAL WHEN CORRECTED c.		
	b.							d.		
							<u> </u>			
<u> </u>										
						ļ				
-				<u> </u>		+	<u></u>			
	ļ 					 				
	-		<u></u>			 				
1	I	1				1				į.

DA FORM 2404 1 APR 79 Procedes edition of 1 Jan 84, which will be used

(1 Data Item)

Form Approved OMB No. 0704-0188

The public reporting burden for this collection of information is estimated to average 110 hours per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data nasded, and completing and reviewing the collection of information. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing the burden, to Department of Defense, Washington Headquarters Services, Directorate for Information Operations and Reports (0701-0188), 1215 Jefferson Davis Highway, Suite 1204, Arington, VA 22202-4302. Respondents should be aware that notwithstanding any other provision of law, no person shall be subject to any penalty for failing to comply with a collection of information if it does not display a currently valid QMB control number.

Please DD NOT RETURN your form to the above address. Send completed form to the Government Issuing Contracting Officer for the Contract/PR No. listed in Block E.

A. CONTRACT LINE I	TEM NO.	B. EXHIBIT	1	C. CATEGORY:								
				TDP	TM	OTHER		X	_			
D. SYSTEM/ITEM Tane Dri	ve Cartridge 20 N	∕B	E. CONTRACT/PR	NO.		F. CONTRA	CTOR					
1. DATA ITEM NO.	2. TITLE OF DATA ITEM					a DUDTITUE			_			AT DRIGE ORGAN
I. DATA HEMINO.	Z. ITILE OF DATA ITEM					3. SUBTITLE						17. PRICE GROUP
A001	Contractor's Pro	noress S	tatus and Ma	nagement Re	nort							
4. AUTHORITY (Data Acquiss			5. CONTRACT REFEREN		port		6. REQUIRING	OFFICE				18. ESTIMATED
	MGMT-80227		3. COM TIMO TIME TENE	SOW 4.3			D. HEGORINA	MCLB/	A (847)		TOTAL PRICE
7. DD 250 REQ	9. DIST STATEMENT	10. FREQUENC	 CY	12. DATE OF FIRST S	UBMISSI		14.	DISTRIBUTION		, 	_	
LT	REQUIRED	M	ITHLY	See	Blk 1	6		DIOTION	$\overline{}$	b. COPIES		
8. APP CODE		11. AS OF DA		13. DATE OF SUBSEC	UENT		a. A	DDRESSEE			nal	
	A			submission See	Blk 1	6			Draft	Rep	Repro	
16. REMARKS	mat is authorized.	L					MCLB	A (847-3)	0	1	0	
							1,1,0,2,2,1	<u> </u>	ľ	· •		:
Blk 4 - Tailor l	DI-MGMT-80227 0.3k, and 10.3n.	as follow	ws: Delete par	agraphs 10.3	3g, 10).3h,					1	
-												
Blk 12 - The re	eporting period sh submission shall b	all be from	om the first to	last business	s day	of each						
												!
BIK 13 - Subse leach month	quent submissions	s shall be	10 days after	the last busi	ness	day of			ļ		<u> </u>	
									lacksquare		<u> </u>	
Distribution St	atement A: Appr	oved for	public release	. distribution	n is u	nlimited.						
			r	,							1	
									700		ļ	
									<u> </u>		ļ	
									 		<u> </u>	
							 		 		-	
									 	<u></u>	-	
										!	-	
									ţ	 	\vdash	
							}			}	1	
							10" ABI			t	1	
										T - ``-		
									L			
									<u> </u>			
							<u> </u>		<u> </u>			
									<u> </u>			
									 			
											 	
							·		 	 	 	
								 _	 	1		
									 -			
							~				 	
									†			
							*.					
										l		! [
	<u> </u>						15. TOTAL	7	0	1	0	
G. PREPARED BY	/ .		H. DATE	I. APPRI	OVED B	Υ		IJ	J. DAT	E		
Zut	Liles		28 JANO	رير_ ا		(1)	0 1		100	, -		
7					Z,	110	92/	<u> </u>	286	ANG	90	J
DD FORM 1423-1	I, AUG 90 (EG)		PR	EVIOUS EDITION N	AAY BE	USED.	\mathcal{J}	Designed	Page using Perform	Of	Pages	

(1 Data Item)

Form Approved OMB No. 0704-0188

17. PRICE GROUP

18. ESTIMATED I DTAL PRICE

The public reporting burden for this collection of information is estimated to average 110 hours per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing the burden, to Department of Defense, Washington Headquarters Services, Directorate for Information Department of Defense, Washington VA 22202-4302. Respondents should be aware that notwithstanding any other provision of law, no person shall be subject to any penalty for fairing to comply with a collection of information if it does not display a currently vakid OMB control number.

Please DD NOT RETURN your form to the above address. Send completed form to the Government Issuing Contracting Officer for the Contract,PR No. šisted in Block E.

A. CONTRACT LINI	E ITEM NO.	B. EXHIBIT		C. CATEGORY:		~				
D CVCTCHIITTH		E. CONTRACT/PR NO.			OTHER					
D. SYSTEM/ITEM Tape D	rive Cartridge 20 l	MB	E. CUNIKACIA	'N MU.	F. CUNTRA	RUTUM				
1. DATA ITEM NO.	2. TITLE OF DATA ITEM				3. SUBTITLE			-		
B001		irable Ite	m Inspection	=						
4. AUTHORITY (Data Acq	uisition Document No.) DI-ILSS-80386		5. CONTRACT REFER	SOW 4.2		6. REQUIRING OFFICE MLCB.	A (Q/7)			
7. DD 250 REO	9. DIST STATEMENT	10. FREQUEN	CY	12. DATE OF FIRST SUBMISS	SION	14. DISTRIBUTION	n (047)			
LT	REQUIRED	1	ASREQ	See Blk		14. DISTRIBUTION		b. COPIES		
8. APP CODE		11. AS OF DA		13. DATE OF SUBSEQUENT		a. Addressee			nal	
	A			submission See Blk	16		Draft	Reg	Repro	
16. REMARKS Contractor fo	rmat is authorized					MCLBA (847-3)	0	1	0	
	parate report shall		itted for each	. Laundry Unit rer	nired		ļ		ļ	
	=								L	
completion of	- Submit report by f each Laundry Un	y Marme lit.	Corps Serial	Number 30 days	aner					
	orts shall be provid									
	pro		FJ							
Distribution S	Statement A: App	roved for	public releas	se, distribution is t	unlimited.					
							4			
									ļ	
									/	
									ļ	
						,				
							 			
							-			
						15 TOTAL		1		
G. PREPARED BY			H. DATE	1. APPROVED	ВҮ	15. TOTAL	J. DATE	1	0	
YA			1		P.A.	n 1/		_		
eap	taly		28 TAN	The Ille	4H	o-AK	28	TAN	∞	
DD FORM 1423	B-1, AUG 96 (EG)			PREVIOUS EDITION NAY BI	E JSED.		Page	of_	Pages	
						Designed	using Perform	Pro, WHS/(JIOR, Au	

(1 Data Item)

Form Approved OMB No. 0704-0188

The public reporting burden for this collection of information is estimated to average 110 hours per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing the burden, to Department of Defense, Washington Headquarters Services, Directorate for Information Department of Defense, Washington VA 22202-4302. Respondents should be aware that notwritstanding any other provision of law, no person shall be subject to any penalty for failing to comply with a collection of information if it does not display a currently valid OMB control number.

Please DD NOT RETURN your form to the above address. Send completed form to the Government Issuing Contracting Officer for the Contract/PR No. listed in Block E.

A. CUNTRACT LINE ITEM NU.		B. EXMIBIT G. CATEGOR		G. CATEGURY:	OTHER	X				
D. SYSTEM/ITEM Tape Drive Cartridge 20 M					F. CONTRA	CTOR				
1. DATA ITEM NO.	2. TITLE OF DATA ITEM			3. SUBTITLE						
C001		Request For Deviation					nageme	nt		
4. AUTHORITY (Bata Acquis DI- (CMAN-80640B		5. CONTRACT REFEREN	SOW 3.4		6. REQUIRING OFFICE MCLB	A (825)			
7. DO 250 REQ	9. DIST STATEMENT REQUIRED	10. FREQUENC		12. DATE OF FIRST SUBMISSI		14. DISTRIBUTION				
LT 8. APP CODE	, measures	A 11. AS OF DAT	ASREQ	SEE BLK 13. DATE OF SUBSEQUENT	16			b. COPIES		
6. AFF CUDE	A	II. AS UF DA	ic	SUBMISSION		a, ADDRESSEE	Draft -	Fina Reg	al Repro	
15. REMARKS Blk 4 - Contra	ctor format is autl	horized.				MCLBA (825-2)	0	1	0	
Blks 10 & 12 nonconforming documentation	RFDs shall be su g material which o	ibmitted loes not i	to obtain authomeet prescribe	orization to delive ed configuration	er		,,			
RFDs will be receipt by the	reviewed and disp Government.	osition de	etermined with	hin 30 calendar da	ays upon					
RFDs shall be mbmatcomcon	transmitted via E- figmngmnt@mate	-Mail to to com.usmo	the following a c.mil	address:						
Distribution St	atement A: Appr	oved for	public release	e, distribution is u	nlimited					
						,				
C DOCALDES TO	7					15. TOTAL	0	1	0	
G. PREPARED BY	. Cillin	_	H. DATE	I. APPROVED B	M	Beach	J. DATE	TAN O	0	
DB FORM 1423-	1, AUG 96 (EG)		J P₽	REVIOUS EDITION MAY B	USED.	Designer	Page	of	Page:	

17. PRICE GROUP

18. ESTIMATED

TOTAL PRICE

(1 Data Item)

Form Approved OMB No. 0704-0188

The public reporting burden for this collection of information is estimated to average 110 hours per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. Send comments reparting this burden estimate or any other espect of this collection of information, including suggestions for radicing the hurden, to Department of Defense, Washington Needequarters Services, Directorate for Information Operations and Reports (0701-0188), 1215 Jefferson Davis Highway, Suite 1204, Artington, VA 22202-4302. Respondents should be aware that notwrithstanding any other provision of law, no person shall be subject to any penalty for faling to comply with a collection of information if it does not display a currently valid OMB control number.

The public reporting burden for the contraction of information is estimated to average 110 hours per response, including instructions, searching existing data sources, gathering and maintaining the data needed, and complete for the support of the contraction of information in including suggestions for radicing suggestions for radicing suggestions for radicing suggestions for radicing the hurden, to Department of Defense, Washington, VA 22202-4302. Respondents should be aware that notwrithstanding any other provision of law, no person shall be subject to any penalty for faling to comply with a collection of information in the faling the public to any penalty for faling to comply with a collection of information in the faling that the public to any penalty for faling to comply with a collection of information in the faling that the public to any penalty for faling to comply with a collection of information including suggestions. The faling that the faling

		B. EXHIBIT		C. CATEGORY: TDP TM DTHER						
D. SYSTEM/ITEM			E. CONTRACT/PR							
Tape Dr	MB									
1. DATA ITEM NO.	2. TITLE OF DATA ITEM				3. SUBTITLE	· · · · · · · · · · · · · · · · · · ·				17. PRICE GR
C002		Pegues	t For Waiver			Configuration Ma	nanami	mt		
4. AUTHORITY (Data Acqui	isition Document No.)	Reques	5. CONTRACT REFEREN	CE		6. REQUIRING OFFICE	nageme	111		18. ESTIMAT
	CMAN-80641B		The state of the s	SOW 3.4		MCLBA	A (825)	,		TOTAL PE
7. DD 250 REQ	9. DIST STATEMENT REQUIRED	10. FREQUENC		12. DATE OF FIRST SUBMISS		14. DISTRIBUTION				,
LT			SREQ	SEE BLK	16		Ι	b. COPIES	i	. L
8. APP CODE	A	11. AS OF DAT	IE	13. DATE OF SUBSEQUENT SUBMISSION		a. Addressee	Draft		Repro	
16. REMARKS	_1					MCLBA (825-2)	0	Reg 1	0	
Blk 4 - Contra	actor format is au	thorized.						•		
Blks 10 & 12	- RFWs shall be	submitted	to obtain auth	orization to deliv	er					
nonconformin	- RFWs shall be a g material which it.	does not i	meet prescribe	d configuration						
							 			
receipt by the	reviewed and dis Government.	sposition u	iciciiiiiica wii	inii 50 caichdar c	ays upon	· ··				
RFWs shall be	e transmitted via l nfigmngmnt@mat	E-Mail to	the following	address:						
							ļ		ļ	
Distribution S	tatement A: App	roved for	public release	, distribution is u	ınlimited	77.4				
							 		-	
									L	
									\vdash	
										L:
										:
						· -··	<u> </u>		└ ─┤	L!
							 		\vdash	
									11	
										į
										į
										L!
							ļ			
							<u></u>			
									\vdash	į
										ı!
							ļ			 -
									 	İ
						15. TOTAL	0	1	0	
G. PREPARED BY	0.1		H. DATE	I. APPROVED (ЗҮ		J. DAT	E .		
\mathcal{L}	-(',(,))		122	00 11	1010	2 M	40 -	AN	a	
1-3 me	-1, AUG 96 (EG)		PR	U Will	ب مهور	aust	128 A	AN	<i>'</i> /U'	